

The logo for 'Adventure Trails' is positioned in the upper left corner of the image. It features the word 'Adventure' in a light blue, rounded font above the word 'Trails' in a darker blue, rounded font. A small blue triangle is placed between the two words, with the letter 'i' in 'Trails' positioned inside it.

Adventure
Trails

The logo for 'Active Garden' is located on the right side of the image. It features a stylized red 'A' that curves into a red 'G'. The word 'Active' is in green and 'Garden' is in a dark teal color, both in a sans-serif font.

Active
Garden


**Play Equipment and
Safety Surface**

Contact us:

T: 01568 782241

E: info@activegarden.co.uk

www.activegarden.co.uk



Balance Walk
L 2400 W 125 H 433mm
FFH 433mm

Sloping Balance Walk
L 2400 W 125 H 434mm
FFH 434mm

Balance Junction
L 2400 W 2400 H 550mm
FFH 550mm


Balance Beam
L 2400 W 200 H 435mm
FFH 435mm

V Balance Beam
L 2002 W 2050 H 470mm
FFH 470mm

Balance Challenge
L 6900 W 1600 H 434mm
FFH 434mm

Three Bar Balance
L 5500 W 1115 H 511mm
FFH 511mm

Low Log Roll
L 3300 W 200 H 500mm
FFH 500mm



Balance Slalom
L 3250 W 1200 H 585mm
FFH 585mm

Sloping Balance Weave
L 2792 W 375 H 1800mm
FFH 555mm

Double Sloping Balance Weave
L 4589 W 1150 H 1800mm
FFH 570mm

Walk and Stretch
L 2225 W 635 H 1000mm
FFH 300mm

Balance Weave
L 2800 W 375 H 1800mm
FFH 450mm

Log Snake Weaver
L 1790 W 661 H 1500mm
FFH 300mm

Log Snake
L 1565 W 410 H 500mm
FFH 500mm

Log Stack
L 1250 W 1800 H 560mm
FFH 560mm

150mm Stepping Logs (set of 4)
L 400 W 150 H 400mm
FFH 400mm

200mm Stepping Logs (set of 4)
L 400 W 200 H 400mm
FFH 400mm




Steel feet


Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.



600mm Wobble Board
L 600 W 195 H 380mm
FFH 600mm



1.6m Wobble Board
L 1600 W 195 H 380mm
FFH 600mm



Tightrope Crossing
L 4695 W 850 H 1200mm
FFH 400mm




Parallel Bars
L 2400 W 725 H 1175mm
FFH 1175mm




Leap Frog
L 9125 W 125 H 600mm
FFH 600mm




Free Standing Tunnel
L 1338 W 850 H 965mm
FFH 135mm




Log Hurdles
L 8125 W 2400 H 903mm
FFH 903mm




Roll Over Bars
L 3200 W 125 H 1100mm
FFH 1100mm




1.5m Chin Ups
L 3200 W 125 H 1500mm
FFH 1500mm




Crawl Net
L 2107 W 1179 H 599mm
FFH 599mm




Spider Web Net
L 3243 W 3243 H 1500mm
FFH 459mm




Rope Junction
L 2850 W 1500 H 1600mm
FFH 575mm




Wobble Log Bridge
L 2700 W 1200 H 1700mm
FFH 536mm




Rope Crossing
L 2650 W 1000 H 1400mm
FFH 450mm




Wobble Bridge
L 2700 W 1200 H 1400mm
FFH 513mm



Burma Bridge
L 3000 W 1125 H 1450mm
FFH 523mm




Suspension Bridge
L 2225 W 1300 H 1400mm
FFH 513mm



Steel feet


Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.






Rope Bridge
L 2650 W 1125 H 1400mm
FFH 1400mm


Rope Tunnel
L 2700 W 1000 H 1425mm
FFH 1425mm





Slalom Rope Walk
L 4322 W 695 H 1800mm
FFH 458mm



Cross Rope
L 3350 W 250 H 2700mm
FFH 1000mm




Drop Rope Traverse
L 3350 W 300 H 2500mm
FFH 521mm




Underground Tunnel
L 1925 W 1450 H 1200mm
FFH Dependant on mound
Mound not included.




Sleeper Tunnel With Steps
L 2400 W 1390 H 1700mm
FFH 859mm




Tarzan Traverse
L 3350 W 300 H 2700mm
FFH 520mm




Log Roll with Drop Ropes
L 3350 W 225 H 2500mm
FFH 462mm




Monkey Bars
L 2862 W 1110 H 1850mm
FFH 1850mm




Log Roll
L 3350 W 250 H 2700mm
FFH 462mm




Rope Weave
L 3350 W 300 H 2700mm
FFH 520mm




Log Rope
L 3000 W 450 H 2575mm
FFH 436mm



Vertical Spider Net
L 3000 W 300 H 2550mm
FFH 2550mm



Monkey Bar Log
L 3450 W 720 H 2085mm
FFH 1975mm



Tarzan Ring Beam
L 3162 W 1110 H 2050mm
FFH 1750mm


Steel feet

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.







A-Frame High
L 2093 W 1974 H 2000mm
FFH 2000mm




A-Frame Low
L 1974 W 1600 H 1500mm
FFH 1500mm




A-Frame High with Nets
L 2000 W 2110 H 2000mm
FFH 2000mm




A-Frame Low with Nets
L 1516 W 2110 H 1500mm
FFH 1500mm




Log Climber Low
L 1692 W 1849 H 1500mm
FFH 1500mm




Log Climber High
L 2093 W 1849 H 2000mm
FFH 2000mm




Low Boulder Climber
L 1525 W 1595 H 1500mm
FFH 1500mm



High Boulder Climber
L 2801 W 1974 H 2000mm
FFH 2000mm




Climb Net
L 150 W 2060 H 1500mm
FFH 1500mm




Mini Twist Net
L 2632 W 1100 H 1500mm
FFH 1500mm




Climb Ladder
L 150 W 1350 H 1730mm
FFH 1730mm



Timber Gate Climber
L 1900 W 312 H 1900mm
FFH 1900mm



Twist Net
L 3200 W 2295 H 1900mm
FFH 1900mm




Wall Net Combo
L 6770 W 150 H 2380mm
FFH 1139mm (Double Sided)



Traverse Wall
L 2850 W 150 H 1800mm
FFH 500mm (Double Sided)



Traverse Weave Combo
L 2764 W 802 H 2100mm
FFH 599mm (Double Sided)




Jigsaw Traverse Wall
L 2670 W 825 H 1850mm
FFH 599mm

Steel feet

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.




Zig Zag Traverse Wall
L 3922 W 840 H 1800mm
FFH 599mm



Sleeper Climb Wall
L 4000 W 385 H 2340mm
FFH 2340mm (Double Sided)




6m Sleeper Traverse Wall
L 6000 W 190 H 1755mm
FFH 590mm




Embankment Ramp
L 2196 W 1350 H 1300mm
FFH 275mm

FFH is assuming the ramp is situated on a bank with no drops.


Recommended angle for embankment is 30 degrees.




Zig-Zag Sleeper Traverse Wall
L 2720 W 775 H 1755mm
FFH 590mm




Medium Embankment Net
L 4305 W 2475 H 599mm
FFH 599mm



Regular Embankment Net
L 3640 W 2235 H 599mm
FFH 599mm



Large Embankment Net
L 5050 W 2800 H 825mm
FFH 825mm



Steel feet

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.




Trail 1

L 10000 W 10000 H 10000 (Not including Safety Mats)
Sloping Balance Walk, Balance Walk, Drop Rope Traverse, 200mm Stepping Logs, Sloping Balance Weave, Balance Challenge.



Trail 2

L 10000 W 10000 H 10000 (Not including Safety Mats)
Sloping Balance Walk, Cross Rope, 200mm Stepping Logs, Log Rope, Log Snake, Rope Walk, Walk and Stretch, Sloping Balance Walk.



Trail 3

L 10000 W 10000 H 10000 (Not including Safety Mats)
Consists of Sloping Balance Walk, Suspension Bridge, Log Snake, Log Roll, 200mm Stepping Logs, Burma Bridge, Sloping Balance Walk, Log Snake Weaver.



Trail 4

L 10000 W 10000 H 10000 (Not including Safety Mats)
Tightrope Crossing, Rope Tunnel, 200mm Stepping Logs, Balance Walk, Traverse Weave Combo, Climb Ladder, Tarzan Ring Beam.



All trails can be arranged differently to suit your needs.

Trail 5

L = 17.5m W = 1.2m (not including safety surface)


Consists of: 200mm Stepping Logs, Crawl Net, Slalom Rope Walk, Rope Weave, 1.6m Wobble Board, Balance Slalom.



Trail 6

L = 24m W = 1.6m (not including safety surface)


Balance Challenge, Log Rope, 200mm Stepping Logs, Double Sloping Balance Weave, Drop Rope Traverse, Balance Slalom.



Trail 7

L = 22m W = 1.2m (not including safety surface)

Tightrope Crossing, Wobble Bridge, 200mm Stepping Logs, Log Roll with Drop Ropes, Rope Bridge, Sloping Balance Weave.



Trail 8


L = 11.75m W = 0.6m (not including safety surface)

Consists of Balance Walk, Rope Walk, Log Rope, Cross Rope Balance Walk.

Trail 9

L = 30m W = 2.8m (not including safety surface)


Consists of Slalom Rope Walk, Log Snake, Jigsaw Traverse Wall.



Trail 10

L = 14.5m W = 1.2m (not including safety surface)


Consists of Sloping Balance Weave, Log Snake Weaver, Balance Slalom, Free Standing Tunnel.



Linked Trail 1

L = 20.5m W = 2.4m (not including safety surface)


Sloping Balance Beam (x2), Drop Rope Traverse, Stepping Posts (x2), Rope Weaver Net, Log Rope.



Linked Trail 2

L = 14.5m W = 2.4m (not including safety surface)

Consists of Balance Beam with Rope (x2), Tarzan Traverse, Rope Weaver Net, Log Roll, Stepping Posts (x2), Rope Walk, Rope Weave.




Steel feet

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.

All trails can be arranged differently to suit your needs!


Linked Trail 3

Consists of: Sloping Balance Weave, Rope Weave, Walk and Stretch Posts, Log Rope, Jigsaw Traverse Wall, Balance Beam, Stepping Posts (x2).



Linked Trail 4

Consists of: Rope Crossing, Balance Beam, Log Roll, Rope Weaver Net, Drop Rope Traverse, Balance Beam, Wobble Bridge.



Linked Trail 5

Consists of: Balance Beam (x2), Drop Rope Traverse, Mini Twist Net, Wobble Bridge, Tightrope Crossing, Rope Weave, Stepping Posts (x1).




Steel feet

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.




Linked Trail 6

Consists of: Double Balance Beam, Rope Crossing, Balance Beam, Log Rope, Rope Weaver Net, Log Roll, Jigsaw Traverse Wall, Tarzan Traverse, Cross Rope, Traverse Net, Balance Slalom, Stepping Posts (x4).




Linked Trail 7

Consists of: Sloping Balance Weave, Slalom Rope Walk, Log Rope, Mini Twist Net, Rope Crossing, 3 Bar Balance, Wobble Bridge, Balance Beam, Log Roll, Rope Weaver Net, Tarzan Traverse, Tightrope Crossing, Stepping Posts (x4).



Linked Trail 8

Consists of: 3 Bar Balance, Rope Weave, Balance Beam, Log Rope, Rope Walk, Log Roll, Double Sloping Balance Weave, Drop Rope Traverse, Cross Rope, Traverse Net, Stepping Posts (x7), Jigsaw Traverse Wall, Tarzan Traverse.



Bespoke Linked Trails can be designed on request.

Steel Trails

Dimensions do not include surfacing
FFH - Free Fall Height

Steel Sloping Balance Beam
L 2400 W 100 H 410mm
FFH 410mm



Steel 3 Bar Balance Beam
L 7200 W 100 H 415mm
FFH 415mm




Steel Balance Beam
L 2400 W 100 H 410mm
FFH 410mm



Steel Sloping Balance Weave
L 2800 W 300 H 1800mm
FFH 475mm




Steel Zig Zag Balance Beam
L 2000 W 605 H 420mm
FFH 420mm




Steel Stilts
L 3600 W 540 H 1800mm
FFH 590mm



Steel Leap Frog
L 8484 W 100 H 1000mm
FFH 1000mm




Steel Free Standing Tunnel
L 1300 W 760 H 975mm
FFH 140mm



Steel Slalom Rope Walk
L 3066 W 1587 H 1800mm
FFH 480mm



Steel Spider Web Net
L 2285 W 2285 H 1500mm
FFH 580mm




Different paint options available upon request

Steel Trails

Dimensions do not include surfacing
FFH - Free Fall Height


Steel Mini Twist Net
L 2550 W 1100 H 1500mm
FFH 1500mm




Steel Burma Bridge
L 2900 W 850 H 1460mm
FFH 520mm




Steel Rope Bridge
L 2600 W 1100 H 1410mm
FFH 1410mm




Steel Crawl Net Bridge
L 2056 W 1100 H 1410mm
FFH 510mm




Steel Suspension Bridge
L 2150 W 1100 H 1400mm
FFH 510mm



Steel Wobble Bridge
L 2650 W 1100 H 1410mm
FFH 510mm



Steel Jigsaw Traverse Wall
L 2704 W 100 H 1925mm
FFH 599mm



Steel Traverse Weave Combo
L 2429 W 980 H 2100mm
FFH 575mm




Different paint options available upon request


Steel Trails

Dimensions do not include surfacing
FFH - Free Fall Height

Steel Roll Over Bars
L 2100 W 100 H 1150mm
FFH 1107mm



Steel Rope Walk
L 3200 W 300 H 1800mm
FFH 485mm




Steel 1.5m Steel Chin Ups
L 3100 W 100 H 1500mm
FFH 1457mm

Steel Cross Rope
L 3200 W 300 H 1800mm
FFH 1000mm




Steel Gate Climber
L 1337 W 100 H 1500mm
FFH 1500mm

Steel Drop Rope Traverse
L 2850 W 300 H 2500mm
FFH 425mm



Steel Rope Weave
L 3200 W 300 H 2500mm
FFH 410mm



Steel Log Rope
L 2850 W 450 H 2500mm
FFH 461mm



Steel Tarzan Traverse
L 2850 W 300 H 2500mm
FFH 425mm

Different paint options available upon request

Steel Trails

Dimensions do not include surfacing
FFH - Free Fall Height


Steel Tarzan Ring Beam
L 2540 W 1065 H 2143mm
FFH 1750mm



Steel Monkey bars
L 2550 W 1060 H 2000mm
FFH 1886mm

Steel Trail 1

Includes: Sloped Balance Beam, Drop Rope Traverse, Slalom Rope Walk, Sloping Balance Weave.



Steel Trail 2

Includes: Sloped Balance Beam, Rope Walk, Log Rope, Cross Rope, Sloping Balance Beam.



Different paint options available upon request



**Adventure
Trails**



**Active
Garden**

**Play Equipment and
Safety Surface**

Contact us:

T: 01568 782241

E: info@activegarden.co.uk

www.activegarden.co.uk